ELSEVIER

Brain Research 873 (2000) 330–332

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Aghajanian, G., see Liu, R. (873) 34
Alain, C., see West, R. (873) 102
Albuquerque, E.X., see Mike, A. (873) 112
Arimura, A., see Horváth, K.M. (873) 140
Asakura, K., Kanemasa, T., Minagawa, K., Kagawa, K., Yagami, T., Nakajima, M. and Ninomiya, M.
α-Eudesmol, a P/Q-type Ca^{2+} channel blocker, inhibits neurogenic vasodilation and extravasation following electrical stimulation of trigeminal ganglion (873) 94

Badia, P., see Wright Jr, K.P. (873) 310
Baggs, R.B., see Thiruchelvam, M. (873) 225
Banks, W.A., see Maness, L.M. (873) 165
Baumans, V., see Haberham, Z.L. (873) 287
Bolay, H., Gürsoy-Özdemir, Y., Ünal, I. and Dalkara, T.
Altered mechanisms of motor-evoked potential generation after transient focal cerebral ischemia in the rat: implications for transcranial magnetic stimulation (873) 26
Bouhassira, D., see Gall, O. (873) 131
Brockel, B.J., see Thiruchelvam, M. (873) 225
Brodda-Jansen, G., see Huang, Y.-H. (873) 54
Byku, M. and Gannon, R.L.
Opioid induced non-photic phase shifts of hamster circadian activity rhythms (873) 189

Carr, K.D. and Kutchukhidze, N.
Effect of chronic food restriction on Fos-like immunoreactivity (FLI) induced in rat brain regions by intraventricular MK-801 (873) 283
Chang, H.-M., Ling, E.-A., Lue, J.-H., Wen, C.-Y. and Shieh, J.-Y.
Melatonin attenuates neuronal NADPH-d/NOS expression in the hypoglossal nucleus of adult rats following peripheral nerve injury (873) 243
Chang, S.L., see Jiang, Y. (873) 291
Chang, Y.-C., see Sui, C.-W. (873) 268
Chen, L.-W., Wei, L.-C., Liu, H.-L. and Rao, Z.-R.
Noradrenergic neurons expressing substance P receptor (NK1) in the locus coeruleus complex: a double immunofluorescence study in the rat (873) 155
Cheng, S.-B., Kuchiiwa, S., Kuchiiwa, T. and Nakagawa, S.
Three novel neural pathways to the lacrimal glands of the cat: an investigation with cholera toxin B subunit as a retrograde tracer (873) 160
Chow, W.-Y., see Sui, C.-W. (873) 268
Code, R.A., see Stack, K.E. (873) 135
Cory-Slechta, D.A., see Thiruchelvam, M. (873) 225

Dalkara, T., see Bolay, H. (873) 26
Darras, V.M., see Geris, K.L. (873) 306
Daw, N.W., see Flavin, H.J. (873) 212
de Groot, H.N.M., see Haberham, Z.L. (873) 287
De Luca, V., see Monda, M. (873) 197
Dembo, T., see Tanaka, K. (873) 83
Dragon, D.N., see Talman, W.T. (873) 145
Drake, C.L., see Wright Jr, K.P. (873) 310
Dubal, D.B., see Wilson, M.E. (873) 235

Feterik, K., Smith, L. and Katusic, Z.S.
Angiotensin-(1–7) causes endothelium-dependent relaxation in canine middle cerebral artery (873) 75
Flavin, H.J., Jin, X.T. and Daw, N.W.
2*R*,4*R*-4-Aminopyrrolidine-2,4-dicarboxylate (APDC) attenuates cortical EPSPs (873) 212
Fukuuchi, Y., see Tanaka, K. (873) 83

Gall, O., Villanueva, L., Bouhassira, D. and Le Bars, D.
Spatial encoding properties of subnucleus reticularis dorsalis neurons in the rat medulla (873) 131
Gannon, R.L., see Byku, M. (873) 189
Geris, K.L., Meeussen, G., Kühn, E.R. and Darras, V.M.
Distribution of somatostatin in the brain and of somatostatin and thyrotropin-releasing hormone in peripheral tissues of the chicken (873) 306
Goto, K., see Nakamura, T. (873) 181
Gürsoy-Özdemir, Y., see Bolay, H. (873) 26

Haberham, Z.L., Van den Brom, W.E., Venker-van Haagen, A.J., De Groot, H.N.M., Baumans, V. and Hellebrekers, L.J.
The rat vertex-Middle Latency Auditory-Evoked Potential as indicator of anaesthetic depth: a comparison with evoked-reflex testing (873) 287
Halim, N.D. and Swerdlow, N.R.
Distributed neurodegenerative changes 2–28 days after ventral hippocampal excitotoxic lesions in rats (873) 60
Hatanaka, H., see Nishio, C. (873) 252
Hatanaka, H., see Yoshida, K. (873) 274
Hellebrekers, L.J., see Haberham, Z.L. (873) 287
Heller, A., see Nakamura, K. (873) 203
Hertz, L., see Huang, R. (873) 297
Horváth, K.M., Somogyvári-Vigh, A., Kandár, Z., Vecsernyés, M., Arimura, A. and Nagy, G.M.
Suckling-induced increase in cyclic AMP exclusively in the central region of the rat adenohypophysis (873) 140
Huan, C.L., see Mei, Y.A. (873) 46
Huang, R. and Hertz, L.
Receptor subtype and dose dependence of dexmedetomidine-induced accumulation of [^{14}C]glutamine in astrocytes suggests glial involvement in its hypnotic-sedative and anesthetic-sparing effects (873) 297
Huang, Y.-H., Brodda-Jansen, G., Lundeberg, T. and Yu, L.-C.
Anti-nociceptive effects of calcitonin gene-related peptide in nucleus raphe magnus of rats: an effect attenuated by naloxone (873) 54

Igisu, H., see Kinoshita, Y. (873) 127
Ishizawa, Y.
Selective blockade of muscarinic receptor subtypes in the brain stem reticular formation in rats: effects on anesthetic requirements (873) 124
Itano, T., see Miyamoto, O. (873) 168

Jarrott, B., see Sweerts, B.W. (873) 318
Jiang, Y., Klodesky, C.M. and Chang, S.L.
Endomorphin-1 and endomorphin-2 induce the expression of c-FOS immunoreactivity in the rat brain (873) 291
Jin, X.T., see Flavin, H.J. (873) 212
Johnson, A.K., see Whalen, E.J. (873) 302
Jolas, T., see Liu, R. (873) 34

0006-8993/00/$ – see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(00)02639-1

Kagawa, K., see Asakura, K. (873) 94
Kandár, Z., see Horváth, K.M. (873) 140
Kanemasa, T., see Asakura, K. (873) 94
Kang, U.J., see Nakamura, K. (873) 203
Kastin, A.J., see Maness, L.M. (873) 165
Katusic, Z.S., see Feterik, K. (873) 75
Kinoshita, Y., Matsumura, H., Igisu, H. and Yokota, A.
Hexachlorophene-induced brain edema in rat observed by proton magnetic resonance (873) 127
Klodesky, C.M., see Jiang, Y. (873) 291
Kobayashi, H., see Yokoo, H. (873) 149
Konishi, A., see Yoshida, K. (873) 274
Kosakai, A., see Tanaka, K. (873) 83
Kuchiiwa, S., see Cheng, S.-B. (873) 160
Kuchiiwa, T., see Cheng, S.-B. (873) 160
Kühn, E.R., see Geris, K.L. (873) 306
Kukwa, W., Macioch, T., Rola, R. and Szulczyk, P.
Kinetic and pharmacological properties of Ca^{2+} currents in postganglionic sympathetic neurones projecting to muscular and cutaneous effectors (873) 173
Kutchukhidze, N., see Carr, K.D. (873) 283

Lawrence, A.J., see Sweerts, B.W. (873) 318
Le Bars, D., see Gall, O. (873) 131
Lewis, S.J., see Whalen, E.J. (873) 302
Ling, E.-A., see Chang, H.-M. (873) 243
Liu, H.-L., see Chen, L.-W. (873) 155
Liu, R., Jolas, T. and Aghajanian, G.
Serotonin 5-HT_2 receptors activate local GABA inhibitory inputs to serotonergic neurons of the dorsal raphe nucleus (873) 34
Lue, J.-H., see Chang, H.-M. (873) 243
Lundeberg, T., see Huang, Y.-H. (873) 54

Macioch, T., see Kukwa, W. (873) 173
Maness, L.M., Banks, W.A. and Kastin, A.J.
Persistence of blood-to-brain transport of leptin in obese leptin-deficient and leptin receptor-deficient mice (873) 165
Matsui, H., see Miyamoto, O. (873) 168
Matsumura, H., see Kinoshita, Y. (873) 127
McCook, E.C., see Trauth, J.A. (873) 18
Meeussen, G., see Geris, K.L. (873) 306
Mei, Y.A., Wu, M.M., Huan, C.L., Sun, J.T., Zhou, H.Q. and Zhang, Z.H.
4-aminopyridine, a specific blocker of K^+ channels, inhibited inward Na^+ current in rat cerebellar granule cells (873) 46
Mike, A., Pereira, E.F.R. and Albuquerque, E.X.
Ca^{2+}-sensitive inhibition by Pb^{2+} of α7-containing nicotinic acetylcholine receptors in hippocampal neurons (873) 112
Minagawa, K., see Asakura, K. (873) 94
Minami, S.-i., see Yokoo, H. (873) 149
Miyamoto, O., Nakamura, T., Yamagami, S.-i., Negi, T., Tokuda, M., Matsui, H. and Itano, T.
Depression of long term potentiation in gerbil hippocampus following postischemic hypothermia (873) 168
Monda, M., Viggiano, A. and De Luca, V.
Intracerebroventricular injection of prostaglandin E_1 changes concentrations of biogenic amines in the posterior hypothalamus of the rat (873) 197
Myers, B.L., see Wright Jr, K.P. (873) 310

Nagata, E., see Tanaka, K. (873) 83
Nagy, G.M., see Horváth, K.M. (873) 140
Nakagawa, S., see Cheng, S.-B. (873) 160
Nakajima, M., see Asakura, K. (873) 94
Nakamura, K., Won, L., Heller, A. and Kang, U.J.
Preferential resistance of dopaminergic neurons to glutathione depletion in a reconstituted nigrostriatal system (873) 203
Nakamura, T., see Miyamoto, O. (873) 168
Nakamura, T., Uramura, K., Nambu, T., Yada, T., Goto, K., Yanagisawa, M. and Sakurai, T.
Orexin-induced hyperlocomotion and stereotypy are mediated by the dopaminergic system (873) 181
Nambu, T., see Nakamura, T. (873) 181
Negi, T., see Miyamoto, O. (873) 168
Ninomiya, M., see Asakura, K. (873) 94
Nishio, C., see Yoshida, K. (873) 274
Nishio, C., Yoshida, K., Nishiyama, K., Hatanaka, H. and Yamada, M.
Involvement of cystatin C in oxidative stress-induced apoptosis of cultured rat CNS neurons (873) 252
Nishiyama, K., see Nishio, C. (873) 252
Nogawa, S., see Tanaka, K. (873) 83

Pereira, E.F.R., see Mike, A. (873) 112
Plenzler, S.C., see Wright Jr, K.P. (873) 310
Post, R.M., see Sitcoske O'Shea, M. (873) 1

Rao, Z.-R., see Chen, L.-W. (873) 155
Richfield, E.K., see Thiruchelvam, M. (873) 225
Rola, R., see Kukwa, W. (873) 173
Rosen, J.B., see Sitcoske O'Shea, M. (873) 1
Ryan, L.J.
Lesion of the subthalamic nucleus or globus pallidus does not cause chaotic firing patterns in basal ganglia neurons in rats (873) 263

Sakurai, T., see Nakamura, T. (873) 181
Seidler, F.J., see Trauth, J.A. (873) 18
Shieh, J.-Y., see Chang, H.-M. (873) 243
Shiraishi, S., see Yokoo, H. (873) 149
Sikdar, S.K., see Tiwari, J.K. (873) 218
Sitcoske O'Shea, M., Rosen, J.B., Post, R.M. and Weiss, S.R.B.
Specific amygdaloid nuclei are involved in suppression or propagation of epileptiform activity during transition stage between oral automatisms and generalized clonic seizures (873) 1
Slotkin, T.A., see Trauth, J.A. (873) 18
Smith, L., see Feterik, K. (873) 75
Somogyvári-Vigh, A., see Horváth, K.M. (873) 140
Stack, K.E. and Code, R.A.
Calretinin expression in the chick cochlear nucleus after deafferentation (873) 135
Sui, C.-W., Chow, W.-Y. and Chang, Y.-C.
Effects of disulfide bonds formed during isolation process on the structure of the postsynaptic density (873) 268
Sun, J.T., see Mei, Y.A. (873) 46
Suzuki, S., see Tanaka, K. (873) 83
Sweerts, B.W., Jarrott, B. and Lawrence, A.J.
Acute and chronic restraint stress: effects on [^{125}I]-galanin binding in normotensive and hypertensive rat brain (873) 318
Swerdlow, N.R., see Halim, N.D. (873) 60
Szulczyk, P., see Kukwa, W. (873) 173

Talman, W.T. and Dragon, D.N.
Parasympathetic nerves influence cerebral blood flow during hypertension in rat (873) 145
Tanaka, K., Nogawa, S., Nagata, E., Suzuki, S., Dembo, T., Kosakai, A. and Fukuuchi, Y.
Effects of blockade of voltage-sensitive Ca^{2+}/Na^+ channels by a novel phenylpyrimidine derivative, NS-7, on CREB phosphorylation in focal cerebral ischemia in the rat (873) 83
Thiruchelvam, M., Brockel, B.J., Richfield, E.K., Baggs, R.B. and Cory-Slechta, D.A.
Potentiated and preferential effects of combined paraquat and maneb on nigrostriatal dopamine systems: environmental risk factors for Parkinson's disease? (873) 225
Tiwari, J.K. and Sikdar, S.K.
The kinetics of a non-inactivating K^+ current in αT3-1 pituitary gonadotropes is not affected by holding potential (873) 218
Tokuda, M., see Miyamoto, O. (873) 168
Trauth, J.A., McCook, E.C., Seidler, F.J. and Slotkin, T.A.
Modeling adolescent nicotine exposure: effects on cholinergic systems in rat brain regions (873) 18

Ünal, I., see Bolay, H. (873) 26
Uramura, K., see Nakamura, T. (873) 181

van den Brom, W.E., see Haberham, Z.L. (873) 287
Vecsernyés, M., see Horváth, K.M. (873) 140
Venker-van Haagen, A.J., see Haberham, Z.L. (873) 287
Viggiano, A., see Monda, M. (873) 197
Villanueva, L., see Gall, O. (873) 131

Wada, A., see Yokoo, H. (873) 149

Wei, L.-C., see Chen, L.-W. (873) 155
Weiss, S.R.B., see Sitcoske O'Shea, M. (873) 1
Wen, C.-Y., see Chang, H.-M. (873) 243
West, R. and Alain, C.
Effects of task context and fluctuations of attention on neural activity supporting performance of the Stroop task (873) 102
Whalen, E.J., Johnson, A.K. and Lewis, S.J.
Functional evidence for the rapid desensitization of 5-HT_3 receptors on vagal afferents mediating the Bezold–Jarisch reflex (873) 302
Wilson, M.E., Dubal, D.B. and Wise, P.M.
Estradiol protects against injury-induced cell death in cortical explant cultures: a role for estrogen receptors (873) 235
Wise, P.M., see Wilson, M.E. (873) 235
Won, L., see Nakamura, K. (873) 203
Wright Jr, K.P., Myers, B.L., Plenzler, S.C., Drake, C.L. and Badia, P.
Acute effects of bright light and caffeine on nighttime melatonin and temperature levels in women taking and not taking oral contraceptives (873) 310
Wu, M.M., see Mei, Y.A. (873) 46

Yada, T., see Nakamura, T. (873) 181
Yagami, T., see Asakura, K. (873) 94
Yamada, M., see Nishio, C. (873) 252
Yamada, M., see Yoshida, K. (873) 274
Yamagami, S.-i., see Miyamoto, O. (873) 168
Yamamoto, R., see Yokoo, H. (873) 149
Yanagisawa, M., see Nakamura, T. (873) 181
Yanagita, T., see Yokoo, H. (873) 149
Yokoo, H., Shiraishi, S., Kobayashi, H., Yanagita, T., Minami, S.-i., Yamamoto, R. and Wada, A.
Inhibition by neuroprotective drug NS-7 of nicotine-induced $^{22}Na^{+}$ influx, $^{45}Ca^{2+}$ influx and catecholamine secretion in adrenal chromaffin cells (873) 149
Yokota, A., see Kinoshita, Y. (873) 127
Yoshida, K., see Nishio, C. (873) 252
Yoshida, K., Yamada, M., Nishio, C., Konishi, A. and Hatanaka, H.
SNRK, a member of the SNF1 family, is related to low K^{+}-induced apoptosis of cultured rat cerebellar granule neurons (873) 274
Yu, L.-C., see Huang, Y.-H. (873) 54

Zhang, Z.H., see Mei, Y.A. (873) 46
Zhou, H.Q., see Mei, Y.A. (873) 46